

# TETRA 1150 BLADE

STAINLESS STEEL SINK



Abovement version  
with tap platform



Undermount version



**Sink art. Bold, minimalist aesthetic. Handcrafted excellence. Undermount or abovement.**

**Blade 'no splash' design.**

Create an atmosphere of design excellence with a Tetra handcrafted stainless steel sink. Inspired by a strong reductive aesthetic, the Tetra series perfectly complements minimalist and contemporary architectural design. Superior edge finish means that Tetra sinks are suitable for abovement or undermount installation.

- minimalist bold design, refined industrial aesthetic
- beautiful lines and geometries
- highest quality individually handcrafted
- designed for abovement or undermount installation, superior edge finish
- 1.2mm thick premium 304 grade stainless steel
- sleek brushed satin finish
- deep, large capacity bowls
- easy to clean corners, 10mm radii
- sound deadening
- distinctive square basket waste

**SUMMARY** Two bowls, super-thin 2mm divider between bowls  
Drainer on right or left, abovement or undermount

**ORDER CODE ABOVEMOUNT VERSION – WITH TAP PLATFORM**


- |        |  |                        |
|--------|--|------------------------|
| 191688 | Tetra 1150, drainer on right,<br>1 taphole | old code: SKS-T1150-RD |
| 191685 | Tetra 1150, drainer on left,<br>1 taphole  | old code: SKS-T1150-LD |

**UNDERMOUNT VERSION – UNIVERSAL**


- |        |   |
|--------|---|
| 192035 | Tetra 1150, undermount, universal (central waste) |
|--------|---|

**WASTE** Square basket wastes  
**BOWL SIZE** Each bowl 350 x 400 mm, 225 mm deep  
**CAPACITY** 33 litres each bowl  
**ACCESSORIES** A variety of accessories is available.

Abovement version has tap platform



Undermount version has 25mm surround on all sides  
and wastes are in centre of bowl



Blade 'no splash' design - 2mm ultra-thin divider between bowls.

# SEIMA

bathroom | kitchen | laundry

seima.com.au

**Please note**

- All measurements are in millimetres.
- Always use the actual product to verify cutout.
- Use silicone sealant. DO NOT USE EPOXY TYPE ADHESIVES.
- Specifications may vary without notice as part of our continuous improvement practices.

tetra-1150-ds | v 5.0