

60cm 4 zone boosted induction cooktop with touch controls, residual heat indicator, automatic pot sensing and 9 heat settings.

RRP AUS \$1,269.00



Product Details

FEATURES

Trimless black ceramic glass	Residual heat indicator Indicates which area is too hot to comfortably touch. Remains on if ceramic surface is above 40c	4 induction zones	Induction cooktop
------------------------------	--	-------------------	-------------------

Touch controls

BENEFITS

Easy to clean Chef cooktops have easy clean surfaces offering a straight forward solution in the kitchen	Contemporary and functional The Chef range of cooking appliances has all the features you need in a design that you'll love
---	--

Cater for your family and friends Induction combines the speed of gas with the additional precise control which induction is known for. A range of cooking zones allow the cook to prepare almost any sized meal, at a consistently high quality, faster and easier.	A cooler way to cook No naked flames or elements means there is less heat in the kitchen.
---	--

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Cooktop type	Induction
Materials/Colour	black ceramic glass
Removable trim (for cleaning)	No
Wok included designed to fit cooktop	No

CONTROLS

Controls of Cooktops	touch
Position of controls	right front
Functions of Cooktops	booster
Indicators/display	residual heat warning lamps
Features of Cooktop	auto pot sensors,safety cut off,safety child lock,hot surface indicator

DIMENSIONS

Total product height (mm)	46
Total product width (mm)	590
Total product depth (mm)	520
Cut out width (mm)	560
Cut out depth (mm)	490

ELEMENTS/BURNERS

LEFT FRONT ZONE

Left front zone	induction
Left front Watts	2300
Left front boost watts	3200
Left front number of cooking zones	1
Left front diameter mm	210

LEFT REAR ZONE

Left rear zone	induction
Left rear watts	1400
Left rear number of cooking zones	1
Left rear diameter mm	140

RIGHT REAR ZONE

Right rear zone	induction
Right rear watts	1800
Right rear number of cooking zones	1
Right rear diameter mm	180

RIGHT FRONT ZONE

Right front zone	induction
Right front Watts	1400
Right front number of cooking zones	1
Right front diameter mm	140

ELECTRICAL SPECIFICATIONS

Connected load KW	7.4
Type of connection	hardwired

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz