

A 600mm stainless steel finished canopy rangehood with slide controls
RRP AUS \$329.00



Product Details

FEATURES

Stainless steel finish

Slide controls

3 fan speed options

Auto thermal cutout safety switch

Optional carbon filter(s)

Recirculating option (Kit AR500RK)

Optional Extra Length Flue Cover (AR500FS)

BENEFITS

Removes odours and steam while cooking
 Chef rangehoods are designed to remove unwanted odours and greasy steam during cooking, keeping the kitchen fresher and cleaner.

Flexible Installation options
 Chef provides additional flexibility when installing your rangehood with the option to recirculate or duct

Keeping the air clean
 Carbon filters given the extra odour filtration required when ducted installation is not an option for your kitchen

Easy to maintain
 Filters are easy to remove and can be washed in the dishwasher

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	wall mounted canopy
Design family (eline)	Chef
Nominal width	600
Finish of Rangehood	stainless steel

DIMENSIONS

Total product height (mm)	230
Total product width (mm)	599
Total product depth (mm)	500
Diameter of ducting (mm)	125

MOTOR/FAN

Number of fans	1
Number of fans speeds	3
Variable speed control	No
Type of motor	single motor
Perimeter extraction	Yes
Maximum airflow M3/Hr	550
Noise level dB high	55
Noise level dB low	48

CONTROLS

Control panel	slider
LED speed display	No

DIMENSIONS

Minimum installation height from cooking surface Gas (mm)	650
---	-----

Minimum installation height from cooking surface Electric (mm)	600
--	-----

Maximum canopy chimney height (mm)	1240
------------------------------------	------

FILTERS

Number of filters	2
-------------------	---

Type of filter	aluminum micromesh
----------------	--------------------

Dishwasher safe	Yes
-----------------	-----

LIGHTS

Number of lights	2
------------------	---

Wattage of light	40
------------------	----

Type of light	incandescent
---------------	--------------

DUCTING / RECIRCULATION

Ducting	yes
---------	-----

Top or rear duct hole	top
-----------------------	-----

Recirculation option	Yes
----------------------	-----

SHIPPING

Shipping Weight (Kg)	11.04
----------------------	-------

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz