

90cm flat glass and stainless steel canopy with push button controls
RRP AUS \$539.00



Product Details

FEATURES

Single powerful centrifugal motor
A robust and effective twin blade single motor for consistent extraction performance

Integrated mounting area
An integrated mounting area within the hood body to ensure the unit is solidly mounted and minimises any vibration.

Push Button controls
Controls that are easy to reach and easy to use.
Robustly constructed and integrated into the body of the hood.

Dishwasher Safe mesh filters

High powered halogen globes

Stylish stainless steel finish

BENEFITS

Lower noise level
While effectively clearing the air the motor operates at a noise level that lets you continue conversation with family and friends while cooking.

Push Button controls
At a glance you can check which setting your rangehood is operating at .

Dishwasher safe mesh filters
Maintain the looks and effective airflow through the rangehood by simply washing them in a dishwasher with your dinner dishes.

Well illuminated cooking area
The powerful Halogens ensure that your cooking area is well illuminated and easier use and enjoy.

Stylish and easy to maintain stainless steel
Offering a great combination of style and performance the stainless steel rangehoods ensure the hood remains looking good and performing well.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	wall mounted canopy
Design family (eline)	Chef
Nominal width	900
Finish of Rangehood	glass,stainless steel

DIMENSIONS

Total product height (mm)	1140
Total product width (mm)	900
Total product depth (mm)	500

MOTOR/FAN

Number of fans	1
Number of fans speeds	3
Variable speed control	Yes
Auto off	Yes
Type of motor	centrifugal
Auto fan timer	No
Maximum airflow M3/Hr	750
Noise level dB high	71
Noise level dB low	61

POWER

Connection plug	10
-----------------	----

DIMENSIONS

Diameter of ducting (mm)	120
Minimum installation height from cooking surface Gas (mm)	650
Minimum installation height from cooking surface Electric (mm)	600
Maximum canopy chimney height (mm)	1140
Flue cover depth (mm)	290
Flue cover width (mm)	320

CONTROLS

Control panel	push button
Safety/ display indicators	auto thermal cutout safety switch
LED speed display	No

LIGHTS

Number of lights	2
------------------	---

FILTERS

Number of filters	1
Type of filter	multilayer aluminum micromesh filters
Dishwasher safe	Yes

DUCTING / RECIRCULATION

Ducting	optional accessory
---------	--------------------

LIGHTS

Wattage of light	40
------------------	----

Type of light	halogen
---------------	---------

DUCTING / RECIRCULATION

Top or rear duct hole	top
-----------------------	-----

Recirculation option	Yes
----------------------	-----

Recirculation kit	optional accessory
-------------------	--------------------

Front recirculating option	No
----------------------------	----

Optional extension flue	No
-------------------------	----

Type of filter	Carbon
----------------	--------

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz