

Bathroom extras – data sheets

Bath + basin wastes + bottle traps



BASIN WASTES + BOTTLE TRAPS

PAGE

POP-OUT Basin Waste

2-3

4

5

6

- Innovative pop-out plug+waste for basins
- Many colours available













Ceramic POP-OUT Basin Waste

- Ceramic waste cap and pop-out waste
- Many colours available









Pop-up Basin Waste

- Button design pop-up plug+waste
- Chrome finish



Bottle Trap

• For wall basins and basins with exposed plumbing

• Many colours available







BATH WASTES + KITS

PAGE

7

8

9

10

11

12

POP-OUT Bath Waste

• Innovative pop-out plug+waste for baths

- Many colours available
- Overflow + non-overflow











Bath Plug + Waste

- Chrome finish waste + white rubber plug
- Non-overflow

FlexiWaste Bath Overflow POP-OUT Kit

- Premium Kit

- Premium pop-out waste, colour options
- Dome overflow head, colour options
- Ultra compact bath overflow/waste solution











FlexiWaste Bath Overflow Kit - Basic Kit

• Chrome Plug+Waste, white rubber plug

• Dome overflow head, chrome

• Ultra compact bath overflow/waste solution





FlexiWaste Bath Kit

- For non-overflow baths
- Ultra compact bath waste solution
- Waste upgrade + colour options





Complete FlexiWaste options/codes

• Full list of FlexiWaste options

- Spare parts
- Optional extra hose



- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Pop-out Basin Waste













matte











Innovative easy-to-remove pop-out design

Why pop-OUT?

The Pop-out waste does exactly what its name suggests — the top section of the waste simply pops out (or pulls out). This patented innovation has significant advantages including:

- REMOVABLE The top of the waste is completely removable. Easy access, easy cleaning.
- ANTI CLOG The 'prongs' on the top section of the waste are designed to catch debris (including hair) as it flows into the waste. The streamlined simplicity of this design makes it easy to keep clear and clean.
- ANTI SEIZE The pop-out design eliminates the possibility of the plug seizing in the waste.
- OPEN DESIGN The openness of the design promotes efficient drainage.

More features ...

- PREMIUM QUALITY Durable, high quality finish all components are premium quality.
- SEIMA UNIVERSAL DESIGN Suits 32 and 40 mm waste holes; suits overflow and non-overflow.

Order codes

192010	Pop-out Basin Waste — Chrome
192012	Pop-out Basin Waste — Brushed Nickel
192199	Pop-out Basin Waste — Gunmetal
192013	Pop-out Basin Waste — Brushed Gold
192009	Pop-out Basin Waste — White Silk Matte
192011	Pop-out Basin Waste — Black Silk Matte

Compatible with natural stone waste caps supplied with natural stone basins. Simply screw off the metal cap and replace it with the natural stone cap.

Product details

WASTE OUTLET Univeral. Suits 32 and 40 mm waste holes.

Suits overflow and non-overflow.

FIXING Must be fitted by a licensed plumber. Warranty does not cover any

fault caused by installation or part installation by an unlicensed person. Please refer to the diagram for installation guidelines. It is essential that the waste is sealed correctly using silicone where

shown.

MATERIALS Solid brass base, plated/coated to achieve the colour finishes. The

transparent flexible ring is premium quality.

CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.



Pop-out basin waste on website





- All measurements are in millimetres
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Pop-out Basin Waste - Installation guide









Please refer to the diagrams for specific guidelines.

- It is essential that the waste is sealed correctly using silicone where shown
- Must be fitted by a licensed plumber. The Seima warranty does not cover any fault caused by installation or part installation by an unlicensed person
- Clean with soapy water. Do not use corrosive or abrasive cleaners.



The removable top section of the waste has three components which screw together:

- the prongs component screws onto base of brass plunger
- the dome screws onto top of brass plunger







- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Ceramic Pop-out Basin Waste























Ceramic waste cap and chrome pop-out base

Ceramic wastes offer a streamlined look for your ceramic basins. You can match the waste with your basin or choose a contrasting colour (eg black dome on white basin).

- The ceramic waste cap simply screws onto the pop-out base.
- Pop-out base has chrome finish.

Innovative easy-to-remove pop-out design

The Pop-out waste does exactly what its name suggests — the top section of the waste simply pops out (or pulls out). This patented innovation has significant advantages including:

- REMOVABLE The top of the waste is completely removable. Easy access, easy cleaning.
- ANTI CLOG The 'prongs' on the top section of the waste are designed to catch debris (including hair) as it flows into the waste. The streamlined simplicity of this design makes it easy to keep clear and clean.
- ANTI SEIZE The pop-out design eliminates the possibility of the plug seizing in the waste.
- OPEN DESIGN The openness of the design promotes efficient drainage.
- PREMIUM QUALITY Durable, high quality finish all components are premium quality
- SEIMA UNIVERSAL DESIGN Suits 32 and 40 mm waste holes; suits overflow and non-overflow

Order codes – Pop-out basin waste with Ceramic cap

192257	Ceramic Pop-out Basin Waste, White Silk Matte
192258	Ceramic Pop-out Basin Waste, White Gloss
192259	Ceramic Pop-out Basin Waste, Black Silk Matte
192260	Ceramic Pop-out Basin Waste, Rose Quartz
192261	Ceramic Pop-out Basin Waste, Smoky Taupe
192262	Ceramic Pop-out Basin Waste, Winter Sea
192263	Ceramic Pop-out Basin Waste, Forest

Product details

COLOUR

WASTE OUTLET Univeral. Suits 32 and 40 mm waste holes.

Suits overflow and non-overflow.

FIXING Must be fitted by a licensed plumber. Warranty does not cover any

fault caused by installation or part installation by an unlicensed person. Please refer to the diagram for installation guidelines. It is essential that the waste is sealed correctly using silicone where

shown.

MATERIALS Ceramic dome waste cap. Solid brass base, plated/coated to

achieve the chrome finish. The transparent flexible ring is premium

quality.

FINISH All colours are available in Silk Matte finish. White is available in

both Silk Matte and Gloss finishes.

Various colours as shown

CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.



- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Pop-up Basin Waste



Button design, chrome finish, universal

Order codes

USAGE NOTE Pop-up wastes have a choice of base material, depending on the use. The PVC base is for general use. The metal base (chrome) is designed for use with a bottle trap.

Order codes

191825 Button pop-up waste, chrome, PVC base Old code: SVA-050 191826 Button pop-up waste, chrome, chrome base Old code: SVA-050-B

Product details


WASTE OUTLET Universal, suits 32 and 40 mm waste holes, suits overflow and nonoverflow.

FIXING Must be fitted by a licensed plumber. Warranty does not cover any fault caused by installation or part installation by an unlicensed

Refer to the diagram below for installation guidelines.

MATERIALS Chrome plated solid brass. PVC base or metal base.

CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.









- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Bottle Trap

wall exit colours













floor exit colour

Bottle trap for wall basins and basins with exposed plumbing



chrome



black silk matte

brushed nickel

gunmetal

brushed

gold

white silk matte

Solid brass base

- Wall exit available in multiple colours Floor exit available in Chrome only
- Suits 40 mm waste holes

Order codes

	WALLEXII
191822	Bottle trap, wall exit, Chrome
192120	Bottle trap, wall exit, Brushed Nickel
192200	Bottle trap, wall exit, Gunmetal
192121	Bottle trap, wall exit, Brushed Gold
192122	Bottle trap, wall exit, White Matte
191836	Bottle trap, wall exit, Black Matte

FLOOR EXIT

191835 Bottle trap, floor exit, Chrome

Product details

WASTE Suits 40 mm wastes.

Must be fitted by a licensed plumber. Warranty does not cover any FIXING

fault caused by installation or part installation by an unlicensed

Ensure all o-rings are lubricated with silicone based lubricant.

Fit connection pipe to plug and washer. Adjust trap height (trim connection pipe as required) to line up with wall outlet pipe and ensure there is a minimum 1.5 degree fall in the outlet pipe when

Measure and trim outlet pipe, ensuring there is adequate allowance for pipe and rubber seal to fit into DWV female socket.

Fit rubber seal over outlet pipe and fit into 40mm DWV female


Fit protective cover over outlet pipe prior to final connection to

Firmly tighten all joints. Do not over-tighten. Test for leaks.

CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.

MATERIAL Brass alloy.









- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Pop-out Bath Waste



















brushed nickel

gunmetal

brushed gold

white gloss

matte







Innovative easy-to-remove pop-out design

Why pop-OUT?

The pop-out waste does exactly what its name suggests — the top section of the waste simply pops out (or pulls out). This patented innovation has significant advantages including:

- **REMOVABLE** The top of the waste is completely removable. Easy access, easy cleaning
- ANTI CLOG The 'prongs' on the top section of the waste catch debris (including hair) as it flows into the waste. The streamlined simplicity of this design makes it easy to keep clear and clean.
- ANTI SEIZE The pop-out design eliminates the possibility of the plug seizing in the waste.
- OPEN DESIGN The openness of the design promotes efficient drainage.
- PREMIUM QUALITY Durable, high quality finish all components are premium
- **OVERFLOW OPTION** Available for overflow and non-overflow baths.
- 40 mm hole standard size for bath wastes.
- Connects to Australian Standard pipework.
- Drains faster than a pop-up/-down waste.

Order codes

• SUITS FLEXIWASTE OVERFLOW KITS

• SUITS NON-OVERFLOW BATHS

192014	Seima Pop-out Bath Waste — Chrome
192016	Seima Pop-out Bath Waste — Brushed Nickel
192201	Seima Pop-out Bath Waste — Gunmetal
192017	Seima Pop-out Bath Waste — Brushed Gold
192197	Seima Pop-out Bath Waste — White Gloss
192015	Seima Pop-out Bath Waste — Black Silk Matte

• SUITS BATHS WITH INTEGRATED OVERFLOW

192023	Seima Pop-out Bath Waste, overflow — Chrome
192025	Seima Pop-out Bath Waste, overflow — Brushed Nickel
192202	Seima Pop-out Bath Waste, overflow — Gunmetal
192026	Seima Pop-out Bath Waste, overflow — Brushed Gold
192198	Seima Pop-out Bath Waste, overflow — White Gloss
192024	Seima Pop-out Bath Waste, overflow — Black Silk Matte

Product details

WASTE OUTLET Suits 40 mm waste holes.

FIXING Must be fitted by a licensed plumber. Warranty does not cover any fault caused by installation or part installation by an unlicensed

person. Please refer to the diagram for installation guidelines. It is essential that the waste is sealed correctly using silicone where

Solid brass base, plated/coated to achieve the colour finishes. The MATERIALS

transparent flexible ring is premium quality.

CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.






- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Bath Plug + Waste





Chrome waste + white rubber plug

- Durable, high quality finish.
- Chrome plated solid brass body and white rubber plug.
- Suits non-overflow baths and FlexiWaste kits.
- 40 mm hole standard size for bath wastes.
- Connects to Australian Standard pipework.

Order code

192007 Bath waste and rubber plug (no overflow)

Product details

WASTE OUTLET Suits 40 mm waste holes.

FIXING Must be fitted by a licensed plumber. Warranty does not cover any

fault caused by installation or part installation by an unlicensed

person.

Please refer to the diagram for installation guidelines. It is essential that the waste is sealed correctly using silicone where shown.

MATERIALS Solid brass base with chrome finish. Rubber plug.

CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.





- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.


FlexiWaste Bath Overflow Pop-out Kit – Premium kit

Flexi-; Waste ™

bath overflow POP OUT kit

with Pop-out Bath Waste + colour options

Universal
ULTRA COMPACT
bath waste
solution



Longer hose lengths available separately.
 The overflow head comes with a chrome finish dome as standard.
 Colour dome and disc replace standard fittings.

FlexiWaste Premium bath overflow kit

Kit include

- Premium Pop-out Bath Waste colour options
- Overflow dome colour options
- Overflow kit

FlexiWaste offers a universal ultra-compact bath waste solution. The innovative StarConnect bath waste connector has an ultra-low 75mm profile under the bath, and multi-directional input and outlet options.

Order codes

PREMIUM KIT

FlexiWaste Bath Overflow Pop-out Kit — Premium Includes Pop-out Bath Waste + colour options

192235 FlexiWaste Bath OF Pop-out Kit, Brushed Nickel 192236 FlexiWaste Bath OF Pop-out Kit, Black Silk Matte 192237 FlexiWaste Bath OF Pop-out Kit, White Gloss FlexiWaste Bath OF Pop-out Kit, Gunmetal 192239 FlexiWaste Bath OF Pop-out Kit, Brushed Gold 192240 FlexiWaste Bath OF Pop-out Kit, Chrome

Flexible hose lengths - Optional extra

192175	DN40 Flexible waste hose, 300mm long
192209	DN40 Flexible waste hose, 500mm long
192210	DN40 Flexible waste hose, 1.0m long
192176	DN32 Flexible overflow hose, 1.2m long
192208	DN32 Flexible overflow hose, 2.0m long

Product details

 ${\tt MATERIALS} \qquad {\tt StarConnect connector, floor waste elbow-PVC}.$

Waste — Metal.

Flexible hose — Corrugated PVC.


 $Overflow\ head-Metal\ (chrome\ finish),\ PVC,$

rubber seal.

INSTALLATION Please refer to installation instructions.

CLEANING Clean with soapy water. Do not use corrosive or

abrasive cleaners.







Designed and made in Australia by SEIMA. This SEIMA innovation is a patented, registered design.



Please note

- All measurements are in millimetres
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.

- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.


FlexiWaste Bath Overflow Kit - Basic kit

Flexi-; Waste ™

bath overflow kit - basic

with Plug+Waste, chrome/white rubber

Universal ULTRA COMPACT bath waste solution



* Longer hose lengths available separately.

FlexiWaste Basic bath overflow kit

- Plug+Waste, chrome, white rubber plug
- Overflow dome, chrome
- Overflow kit

FlexiWaste offers a universal ultra-compact bath waste solution. The innovative StarConnect bath waste connector has an ultralow 75mm profile under the bath, and multi-directional input and outlet options.

Order codes

BASIC KIT

FlexiWaste Bath Overflow Kit - Basic

Includes Chrome Plug+Waste, white rubber plug

FlexiWaste Bath OF Kit - Basic, with Plug+Waste,

chrome/white rubber

Flexible hose lengths - Optional extra

192175	DN40 Flexible waste hose, 300mm long
192209	DN40 Flexible waste hose, 500mm long
192210	DN40 Flexible waste hose, 1.0m long
192176	DN32 Flexible overflow hose, 1.2m long
192208	DN32 Flexible overflow hose, 2.0m long

Product details

CLEANING

 ${\it StarConnect connector, floor was te elbow-PVC}.$ MATERIALS

Waste — Metal.

 ${\it Flexible\ hose-Corrugated\ PVC}.$

Overflow head — Metal (chrome finish), PVC,

rubber seal.

INSTALLATION Please refer to installation instructions.


Clean with soapy water. Do not use corrosive or


abrasive cleaners.





The StarConnect advantage















Designed and made in Australia by SEIMA. This SEIMA innovation is a patented, registered design.



- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

FlexiWaste Bath Kit

Flexi-, Waste

bath waste kit

suits non-overflow baths






The StarConnect advantage

Floor Waste Elbow

300mm included



Ultra low 75mm profile under bath NOTE Only the DN40 Spigot is used in this FlexiWaste Bath Kit. (The three DN32 spigots are only needed for FlexiWaste Overflow Kits. These can be left intact.)

Ultra-compact bath waste solution (non-overflow)

- Chrome plug+waste with white rubber plug
- Waste upgrade options available see Pop-out Bath Waste

Order codes

FLEXIWASTE BATH KIT

192178 Seima FlexiWaste Kit (complete kit)

EXTRA FLEXIBLE HOSE —OPTIONAL EXTRA — SPARE PARTS
192175 DN40 Flexible waste hose, 300mm long
192209 DN40 Flexible waste hose, 500mm long
192210 DN40 Flexible waste hose, 1.0m long

KIT COMPONENTS AVAILABLE SEPARATELY — SPARE PARTS

191992 StarConnect bath waste connector, PVC

191993 Floor waste elbow, PVC

192007 Plug+Waste, chrome, white rubber plug (non-overflow)

192175 DN40 Flexible waste hose, 300mm long

Product details

 ${\tt MATERIALS} \qquad {\tt StarConnect connector, floor waste elbow-PVC}.$

Plug+Waste — Metal waste (chrome finish), white rubber plug.

 $\label{eq:Flexible} \begin{picture}(200,0) \put(0,0){\line(0,0){100}} \pu$

INSTALLATION Please refer to installation instructions.

CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.





Designed and made in Australia by SEIMA.
This SEIMA innovation is a patented, registered design.



- All measurements are in millimetre
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

FlexiWaste - Complete list of kits, options + codes

Bath Overflow + Waste Kits

PREMIUM KIT

FlexiWaste Bath Overflow Pop-out Kit

Includes Pop-out Bath Waste + colour options

192235	FlexiWaste Bath OF Pop-out Kit, Brushed Nickel
192236	FlexiWaste Bath OF Pop-out Kit, Black Silk Matte
192237	FlexiWaste Bath OF Pop-out Kit, White Gloss
192238	FlexiWaste Bath OF Pop-out Kit, Gunmetal
192239	FlexiWaste Bath OF Pop-out Kit, Brushed Gold
192240	FlexiWaste Bath OF Pop-out Kit, Chrome

BASIC KIT

FlexiWaste Bath Overflow Kit - Basic

Includes Chrome Plug+Waste, white rubber plug

FlexiWaste Bath OF Kit – Basic, with Plug+Waste, chrome/

Bath Waste Kit (no overflow)

FlexiWaste Bath Waste Kit - Basic

Includes Chrome Plug+Waste, white rubber plug

FlexiWaste Bath Kit, with Plug+Waste, chrome/white rubber

Optional extra hose

Flexible hose lengths available separately

192175	DN40 Flexible waste hose, 300mm long
192209	DN40 Flexible waste hose, 500mm long
192210	DN40 Flexible waste hose, 1.0m long
192176	DN32 Flexible overflow hose, 1.2m long
192208	DN32 Flevible overflow hase 2 0m land

FlexiWaste kit components

191992	StarConnect bath waste connector, PVC
191993	Floor waste elbow, PVC
192177	Overflow head (all parts including chrome dome)
192176	DN32 Flexible overflow hose, 1.2m long
192175	DN40 Flexible waste hose, 300mm long

Colour overflow dome + disc for FlexiWaste

(Colour dome+disc replace standard chrome fittings)

	,	
192195	Pop-out Bath Waste, overflow — Brushed Nickel	
192203	Pop-out Bath Waste, overflow — Gunmetal	
192196	Pop-out Bath Waste, overflow — Brushed Gold	
192193	Pop-out Bath Waste, overflow — White Gloss	
192194	Pop-out Bath Waste, overflow — Black Silk Matte	2

Pop-out Bath Wastes

- SUITS FLEXIWASTE OVERFLOW KITS
- SUITS NON-OVERFLOW BATHS


192014	Pop-out Bath Waste — Chrome
192016	Pop-out Bath Waste — Brushed Nickel
192201	Pop-out Bath Waste — Gunmetal
192017	Pop-out Bath Waste — Brushed Gold
192197	Pop-out Bath Waste — White Gloss
192015	Pop-out Bath Waste — Black Silk Matte

• SUITS BATHS WITH INTEGRATED OVERFLOW ONLY

, overflow — Chrome
, overflow — Brushed Nickel
, overflow — Gunmetal
, overflow — Brushed Gold
, overflow — White Gloss
, overflow — Black Silk Matte

Plug+Waste

192007 Bath Plug+Waste, Chrome/white rubber plug



Optional extra hose



DN32 Flexible Overflow Hose

32mm diameter Optional extra lengths:

- 1.2 metres long
- 2.0 metres long



DN40 Flexible Waste Hose

40mm diameter 300mm in kit Optional extra lengths:

- 300 mm long
- 500 mm long
- 1 metre long

Colour overflow dome + disc
















- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.