Bathroom Extras – data sheet set

This data sheet set includes:

• Basin wastes + bottle traps

• Bath wastes, bath waste kits + bath overflow kits

Contents

Basin wastes and bottle traps



- Use silicone sealant. Do not use epoxy type adhesives. Specifications may vary without notice as part of our

- continuous improvement practices. - Clean with a damp cloth. Do not use abrasive cleaners,
- liquids or pastes.

kitchen + laundry + bathroom ware

Pop-out Basin Waste



Chrome



Brushed Nickel







White Matte



Brushed Gold

Black Matte





SEIMA

kitchen + laundry + bathroom ware

Please note

- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Innovative easy-to-remove pop-out design

Why pop-out?

The Pop-out waste does exactly what its name suggests - the top section of the waste simply pops out (or pulls out). This patented innovation has significant advantages including:

- **REMOVABLE** The top of the waste is completely removable. Easy access, easy cleaning.
- **ANTI CLOG** The 'prongs' on the top section of the waste are designed to catch debris (including hair) as it flows into the waste. The streamlined simplicity of this design makes it easy to keep clear and clean.
- ANTI SEIZE The pop-out design eliminates the possibility of the plug seizing in the waste.
- OPEN DESIGN The openness of the design promotes efficient drainage.
- COMPATIBLE with Lithos natural stone waste caps (suppled with Lithos basins)

More features

- **PREMIUM QUALITY** Durable, high quality finish all components are premium quality.
- SEIMA UNIVERSAL DESIGN Suits 32 and 40 mm waste holes; suits overflow and non-overflow.

Order codes

- 192010 Pop-out Basin Waste — Chrome
- Pop-out Basin Waste Brushed Nickel 192012
- 192199 Pop-out Basin Waste — Gunmetal Pop-out Basin Waste — Brushed Gold 192013
- 192009 Pop-out Basin Waste — White Matte
- Pop-out Basin Waste Black Matte 192011

Compatible with natural stone waste caps supplied with natural stone basins. Simply screw off the metal cap and replace it with the natural stone cap.

Product details

WASTE OUTLET Univeral. Suits 32 and 40 mm waste holes. Suits overflow and non-overflow

FIXING Must be fitted by a licensed plumber. Warranty does not cover any fault caused by installation or part installation by an unlicensed person. Please refer to the diagram for installation guidelines. It is essential that the waste is sealed correctly using silicone where shown.


- MATERIALS Solid brass base, plated/coated to achieve the colour finishes. The transparent flexible ring is premium quality.
- CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.



Pop-out Basin Waste - Installation Guide

Please refer to the diagram for specific guidelines.

- It is essential that the waste is sealed correctly using silicone where shown.
- Must be fitted by a licensed plumber. The Seima warranty does not cover any fault caused by installation or part installation by an unlicensed person.
- Clean with soapy water. Do not use corrosive or abrasive cleaners.






SEIMA kitchen + laundry + bathroom ware

- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Ceramic Pop-out Basin Waste









SEIMA kitchen + laundry + bathroom ware

tchen + launary + bathloom wan

- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
 Specifications may vary without notice as part of our
- specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Ceramic waste cap and chrome pop-out base

Ceramic wastes offer a streamlined look for your ceramic basins. You can match the waste with your basin or choose a contrasting colour (eg black dome on white basin).

- The ceramic waste cap simply screws onto the pop-out base.
- Pop-out base has chrome finish.

Innovative easy-to-remove pop-out design

Why pop-out?

The Pop-out waste does exactly what its name suggests — the top section of the waste simply pops out (or pulls out). This patented innovation has significant advantages including:

- REMOVABLE The top of the waste is completely removable. Easy access, easy cleaning.
- ANTI CLOG The 'prongs' on the top section of the waste are designed to catch debris (including hair) as it flows into the waste. The streamlined simplicity of this design makes it easy to keep clear and clean.
- ANTI SEIZE The pop-out design eliminates the possibility of the plug seizing in the waste.
- **OPEN DESIGN** The openness of the design promotes efficient drainage.

More features

- PREMIUM QUALITY Durable, high quality finish all components are premium quality.
- SEIMA UNIVERSAL DESIGN Suits 32 and 40 mm waste holes; suits overflow and non-overflow.

Order codes

- 192257 Ceramic Pop-out Basin Waste, White Silk Matte
- 192258 Ceramic Pop-out Basin Waste, White Gloss
- 192259 Ceramic Pop-out Basin Waste, Black Silk Matte
- 192260 Ceramic Pop-out Basin Waste, Rose Quartz
- 192261 Ceramic Pop-out Basin Waste, Smoky Taupe
- 192262 Ceramic Pop-out Basin Waste, Winter Sea
- 192263 Ceramic Pop-out Basin Waste, Forest

Product details

WASTE OUTLET Univeral. Suits 32 and 40 mm waste holes. Suits overflow and non-overflow.

FIXING Must be fitted by a licensed plumber. Warranty does not cover any fault caused by installation or part installation by an unlicensed person. Please refer to the diagram for installation guidelines. It is essential that the waste is sealed correctly using silicone where shown.

- MATERIALS Solid brass base, chrome plated. Ceramic cap.
- CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.



Button design, chrome finish, universal

Order codes


191825 Button pop-up waste, chrome, PVC base Old code: SVA-050 191826 Button pop-up waste, chrome, chrome base Old code: SVA-050-B

Usage note

Pop-up wastes have a choice of base material, depending on the use. The PVC base is for general use. The metal base (chrome) is designed for use with a bottle trap.

Product details

- WASTE OUTLET Universal, suits 32 and 40 mm waste holes, suits overflow and nonoverflow
- FIXING Must be fitted by a licensed plumber. Warranty does not cover any fault caused by installation or part installation by an unlicensed person. Refer to the diagram below for installation guidelines.
- MATERIALS Chrome plated solid brass. PVC base or metal base.
- CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.





SEIMA kitchen + laundry + bathroom ware

Please note

- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
 - Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

62

Bottle Trap

Wall exit



Chrome



Matte

Brushed Gunmetal Nickel

Brushed

Gold

Floor exit pipe

Chrome

Wall exit Floor exit pipe available in Chrome. Note: Pipe only pipe to be used in conjunction with wall exit bottle trap.

G11/2 25-125 Ø38 58 340 Ø62.5

Bottle trap for wall basins and basins with exposed plumbing

Wall exit available in multiple colours _

White

Matte

- Floor exit available in Chrome only
- Solid brass base _ _ Suits 40 mm waste holes

Order codes

	WALL EXIT
91822	Bottle trap, wall exit, Chrome
92120	Bottle trap, wall exit, Brushed Nickel
92200	Bottle trap, wall exit, Gunmetal
92121	Bottle trap, wall exit, Brushed Gold
92122	Bottle trap, wall exit, White Matte
91836	Bottle trap, wall exit, Black Matte

FLOOR EXIT - PIPE ONLY - CHROME 191824 Chrome floor exit pipe

Product details

Suits 40 mm wastes.

FIXING

WASTE

Must be fitted by a licensed plumber. Warranty does not cover any fault caused by installation or part installation by an unlicensed person.

Ensure all o-rings are lubricated with silicone based lubricant. Fit connection pipe to plug and washer. Adjust trap height (trim connection pipe as required) to line up with wall outlet pipe and ensure there is a minimum 1.5 degree fall in the outlet pipe when installed

Measure and trim outlet pipe, ensuring there is adequate allowance for pipe and rubber seal to fit into DWV female socket. Fit rubber seal over outlet pipe and fit into 40mm DWV female socket.

Fit protective cover over outlet pipe prior to final connection to plumbing

Firmly tighten all joints. Do not over-tighten. Test for leaks.

Clean with soapy water. Do not use corrosive or abrasive cleaners. CLEANING Brass alloy base. MATERIAL



SEIMA kitchen + laundry + bathroom ware

- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Pop-out Bath Waste



Chrome



Brushed Nickel



Gunmetal





Brushed Gold White Gloss

Black Matte

Innovative easy-to-remove pop-out design

Why pop-OUT?

The pop-out waste does exactly what its name suggests — the top section of the waste simply pops out (or pulls out). This patented innovation has significant advantages including:

- REMOVABLE The top of the waste is completely removable. Easy access, easy cleaning.
- ANTI CLOG The 'prongs' on the top section of the waste catch debris (including hair) as it flows into the waste. The streamlined simplicity of this design makes it easy to keep clear and clean.
- ANTI SEIZE The pop-out design eliminates the possibility of the plug seizing in the waste.
- OPEN DESIGN The openness of the design promotes efficient drainage.
- PREMIUM QUALITY Durable, high quality finish all components are premium quality.
- OVERFLOW OPTION Available for overflow and non-overflow baths.
- 40 mm hole standard size for bath wastes.
- Connects to Australian Standard pipework.
- Drains faster than a pop-up/-down waste.

Order codes

• SUIT ALL FLEXIWASTE KITS

• SUIT NON-OVERFLOW BATHS

192014	Seima Pop-out Bath Waste — Chrome
192016	Seima Pop-out Bath Waste — Brushed Nickel
192201	Seima Pop-out Bath Waste — Gunmetal
192017	Seima Pop-out Bath Waste — Brushed Gold

- 192197Seima Pop-out Bath Waste White Gloss
- 192015 Seima Pop-out Bath Waste Black Silk Matte

• SUIT BATHS WITH INTEGRATED OVERFLOW

192023	Seima Pop-out Bath Waste, overflow — Chrome
192025	Seima Pop-out Bath Waste, overflow — Brushed Nickel
192202	Seima Pop-out Bath Waste, overflow — Gunmetal
192026	Seima Pop-out Bath Waste, overflow — Brushed Gold
192198	Seima Pop-out Bath Waste, overflow — White Gloss
192024	Seima Pop-out Bath Waste, overflow — Black Silk Matte

Product details

FI

N

WASTE OUTLET Suits 40 mm waste holes.

IXING	Must be fitted by a licensed plumber. Warranty does not cover any fault caused by installation or part installation by an unlicensed person. Please refer to the diagram for installation guidelines. It is essential that the waste is sealed correctly using silicone where shown.
MATERIALS	Solid brass base, plated/coated to achieve the colour finishes. The transparent flexible ring is premium quality.

CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.




SEIMA kitchen + laundry + bathroom ware

- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Bath Plug + Waste





Chrome waste + white rubber plug

- Durable, high quality finish.
- Chrome plated solid brass body and white rubber plug.
- Suits non-overflow baths and FlexiWaste kits. _
- 40 mm hole standard size for bath wastes. _ _
- Connects to Australian Standard pipework.

Order code

192007 Bath waste and rubber plug (no overflow)

Product details

WASTE OUTLET Suits 40 mm waste holes.

FIXING Must be fitted by a licensed plumber. Warranty does not cover any fault caused by installation or part installation by an unlicensed person.

> Please refer to the diagram for installation guidelines. It is essential that the waste is sealed correctly using silicone where shown.


- MATERIALS Solid brass base with chrome finish. Rubber plug.
- CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.



SEIMA kitchen + laundry + bathroom ware

- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

FlexiWaste Bath Overflow Pop-out Kit



SEIMA kitchen + laundry + bathroom ware Please note

- All measurements are in millimetres.

- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our
- continuous improvement practices. Clean with a damp cloth. Do not use abrasive cleaners,
- liquids or pastes.


FlexiWaste Bath Overflow Kit Basic

Flexi - Waste FlexiWaste basic bath overflow kit Kit includes Bath Overflow Kit Basic • Plug+Waste, chrome, white rubber plug Overflow dome, chrome Kit contents Overflow kit FlexiWaste offers a universal ultra-compact bath waste solution. dome Overflow head The innovative StarConnect bath waste connector has an ultra-+ disc and chrome low 75mm profile under the bath, and multi-directional input dome + disc and outlet options. Order code **DN32** Flexible 192180 FlexiWaste Bath OF Kit - Basic, with Plug+Waste, **Overflow Hose*** chrome/white rubber 32mm diameter 1.2m length included **Optional extra hose – Spare parts** DN40 Flexible waste hose, 300mm long 192175 Plug+Waste: 192209 DN40 Flexible waste hose, 500mm long 192210 DN40 Flexible waste hose, 1.0m long Chrome, white rubber plug 192176 DN32 Flexible overflow hose, 1.2m long 192208 DN32 Flexible overflow hose, 2.0m long **Product details** StarConnect MATERIALS StarConnect connector, floor waste elbow - PVC. Bath waste connector Waste - Metal. Flexible hose - Corrugated PVC. Overflow head — Metal (chrome finish), PVC, DN40 Flexible rubber seal. Waste Hose* 40mm diameter INSTALLATION Please refer to installation instructions. 300mm included CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners. **Floor Waste Elbow**

* Longer hose lengths available separately.

The StarConnect advantage

Ultra-compact bath waste connector







Multi-directional input + outlet options

3 Knock-out openings on all three DN32 spigots



Designed and made in Australia by SEIMA. This SEIMA innovation is a patented, registered design.


SEIMA kitchen + laundry + bathroom ware

Please note – All measurements are in millimetres.

- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our
- continuous improvement practices. Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Flexi ** Waste

Bath Waste Pop-out Kit



* Longer hose lengths available separately.

FlexiWaste premium bath waste kit Suits non-overflow baths

Kit includes

Premium Pop-out Bath Waste – colour options
FlexiWaste bath waste kit

FlexiWaste offers a universal ultra-compact bath waste solution. The innovative StarConnect bath waste connector has an ultra-low 75mm profile under the bath, and multi-directional input and outlet options.

Order codes

192329FlexiWaste Bath Waste Pop-out Kit, Brushed Nickel192330FlexiWaste Bath Waste Pop-out Kit, Black Silk Matte192331FlexiWaste Bath Waste Pop-out Kit, White Gloss192332FlexiWaste Bath Waste Pop-out Kit, Gunmetal192333FlexiWaste Bath Waste Pop-out Kit, Brushed Gold192179FlexiWaste Bath Waste Pop-out Kit, Chrome

Optional extra hose – Spare parts

192175	DN40 Flexible waste hose, 300mm long
192209	DN40 Flexible waste hose, 500mm long
192210	DN40 Flexible waste hose, 1.0m long

Product details

MATERIALS StarConnect connector, floor waste elbow — PVC. Waste — Metal. Flexible hose — Corrugated PVC.

INSTALLATION Please refer to installation instructions.

CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.









White Gloss



Chrome


Brushed Nickel Gunmetal

Brushed Gold

Black Matte

The StarConnect advantage

Ultra-compact bath waste connector



Ultra-low 75mm profile under bath



NOTE Only the DN40 Spigot is used in this FlexiWaste Bath Kit. (The three DN32 spigots are only needed for FlexiWaste Overflow Kits. Leave the DN32 spigots intact when using this kit.)



Designed and made in Australia by SEIMA. This SEIMA innovation is a patented, registered design.

Please note

SEIMA kitchen + laundry + bathroom ware

- All measurements are in millimetres.

- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

FlexiWaste Bath Waste Kit Basic

Flexi^{*} Waste

Bath Waste Kit Basic



Kit contents

Chrome with white rubber plug

Bath waste connector

DN40 Flexible Waste Hose* 40mm diameter 300mm included

Floor Waste Elbow

FlexiWaste basic bath waste kit Suits non-overflow baths

Kit includes

• Plug+Waste, chrome, white rubber plug • FlexiWaste bath waste kit

FlexiWaste offers a universal ultra-compact bath waste solution. The innovative StarConnect bath waste connector has an ultra-low 75mm profile under the bath, and multi-directional input and outlet options.

Order code

192178 FlexiWaste Bath Waste Kit Basic

Optional extra hose – Spare parts

92175	DN40 Flexible waste hose, 300mm long
92209	DN40 Flexible waste hose, 500mm long
92210	DN40 Flexible waste hose, 1.0m long

Product details


MATERIALS	StarConnect connector, floor waste elbow — PVC.
	Waste — Metal.
	Flexible hose — Corrugated PVC.

INSTALLATION Please refer to installation instructions.

CLEANING Clean with soapy water. Do not use corrosive or abrasive cleaners.

The StarConnect advantage

Ultra-compact bath waste connector



Ultra-low 75mm profile under bath



NOTE Only the DN40 Spigot is used in this FlexiWaste Bath Kit. (The three DN32 spigots are only needed for FlexiWaste Overflow Kits. Leave the DN32 spigots intact when using this kit.)



Designed and made in Australia by SEIMA. This SEIMA innovation is a patented, registered design.

S kitchen + laundry + bathroom ware Please note

- All measurements are in millimetres.

- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our
- continuous improvement practices. Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.


Bath Waste Kits – Usage Guide

Options for overflow bath

Turn any non-overflow bath into an overflow bath with an overflow kit (with bath waste included).

There are two options:

- PREMIUM OVERFLOW KIT This includes a premium colour Pop-out Bath Waste and colour overflow dome.
- BASIC OVERFLOW KIT This includes a chrome plug and waste and chrome overflow dome.



PREMIUM OVERFLOW KIT

FlexiWaste Bath Waste Overflow Pop-out Kit • includes premium Pop-out Bath Waste – colour options • includes Overflow Dome – colour options	
Order codes	
192235	FlexiWaste Bath OF Pop-out Kit, Brushed Nickel
192236	FlexiWaste Bath OF Pop-out Kit, Black Silk Matte
192237	FlexiWaste Bath OF Pop-out Kit, White Gloss
192238	FlexiWaste Bath OF Pop-out Kit, Gunmetal
192239	FlexiWaste Bath OF Pop-out Kit, Brushed Gold

BASIC OVERFLOW KIT

192240

FlexiWaste Bath Waste Overflow Kit Basic • includes Chrome Plug+Waste, white rubber plug

• includes overflow dome – Chrome

Order code

192180 FlexiWaste Bath OF Kit Basic – Chrome Plug+Waste


FlexiWaste Bath OF Pop-out Kit, Chrome

Options for non-overflow bath

Baths without overflow need a bath waste kit and bath waste.

There are two options:

- PREMIUM WASTE KIT This includes a premium colour Pop-out Bath Waste.
- BASIC WASTE KIT This includes a chrome plug and waste.



PREMIUM WASTE KIT

FlexiWaste Bath Waste Pop-out Kit

• includes premium Pop-out Bath Waste - colour options

Order codes

192329 FlexiWaste Bath Waste Pop-out Kit, Brushed Nickel FlexiWaste Bath Waste Pop-out Kit, Black Silk Matte 192330 FlexiWaste Bath Waste Pop-out Kit, White Gloss 192331 FlexiWaste Bath Waste Pop-out Kit, Gunmetal 192332 192333 FlexiWaste Bath Waste Pop-out Kit, Brushed Gold FlexiWaste Bath Waste Pop-out Kit, Chrome 192179

BASIC WASTE KIT

192178

FlexiWaste Bath Waste Kit Basic • includes Chrome Plug+Waste, white rubber plug


FlexiWaste Bath Kit, with Plug+Waste, chrome/white rubber

Options for baths with integrated overflow

Baths with an integrated overflow need a bath waste kit and bath waste suitable for integrated overflow.

You will need the following:

PREMIUM WASTE KIT This includes a premium colour Pop-out Bath Waste.



PREMIUM WASTE KIT

FlexiWaste Bath Waste Pop-out Kit

includes premium Pop-out Bath Waste – colour options

Order codes

192179

- FlexiWaste Bath Waste Pop-out Kit, Brushed Nickel 192329 192330
 - FlexiWaste Bath Waste Pop-out Kit, Black Silk Matte
- FlexiWaste Bath Waste Pop-out Kit, White Gloss 192331
- FlexiWaste Bath Waste Pop-out Kit, Gunmetal 192332 FlexiWaste Bath Waste Pop-out Kit, Brushed Gold 192333
 - FlexiWaste Bath Waste Pop-out Kit, Chrome

SEIMA kitchen + laundry + bathroom ware

- All measurements are in millimetres.
- Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.