

WHC943BD

90cm 4 zone ceramic cooktop with Hob2Hood, triple variable zone, touch controls, and Pause function.



Product Details

FEATURES

Hob2Hood	Triple Zone	Touch on glass controls	Pause
QuickCook Timer	2.3kW powerful zone	Residual Heat Indicator	Child safety lock
Easy clean ceramic surface			
BENEFITS			
DEINEFIIG			

Clear the air with Hob2Hood Triple zone, for pots of different sizes With Hob2Hood technology, compatible rangehoods work Whether youre using your smallest pan or your larger pot seamlessly with your induction or ceramic cooktop to clear theres an extra large cooking zone to handle them all. With the your kitchen of cooking smells and steam. As you start ability to adjust its diameter into three sizes, this unrivalled cooking, the rangehood will automatically turn on then flexibility gives you the freedom to create your best meals intuitively adjust the fan speed and airflow to match your yet. cooking. How's that for hands-free convenience? Easy touch-on glass control Hold everything with our clever Pause function Total control is at your fingertips with a simple touch on the We know that family life is full of distractions. That's why easy-clean glass control panel. you'll appreciate our clever Pause function. Simply touch the Pause icon on your cooktop and all operating induction zones will drop to the lowest setting. When you're ready to go again, hit Pause again and settings will return to where you left off. Timed to perfection Easy Clean Ceramic Surface Never over-cook or burn dinner again. Just set the cooking Not only aesthetically pleasing, the full glass ceramic hob with time and your cooktop will automatically turn the heat off for touch controls is easy to use and clean and eliminates dirt you. traps.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Cooktop type	ceramic
Materials/Colour	black ceramic glass
Removable trim (for cleaning)	No

DIMENSIONS

Total product height (mm)	51
Total product width (mm)	900
Total product depth (mm)	520
Cut out width (mm)	880
Cut out depth (mm)	490

CONTROLS

Controls of Cooktops	touch
Position of controls	front
Functions of Cooktops	timer,Keep warm function,pause,Hob2Hood
Indicators/display	fault indicator,residual heat warning lamps
Features of Cooktop	safety child lock,hot surface indicator,safety cut off,electronic timer,Hob2Hood
Timer of Cooktop	programmable 99min,countdown

ELEMENTS/BURNERS

LEFT FRONT ZONE

Left front zone	ceramic triple
Left front Watts	2300
Left front number of cooking zones	1
Left front diameter mm	210



WHC943BD

LEFT REAR ZONE

Left rear zone	ceramic	Right front zone	ceramic
Left rear watts	1200	Right front Watts	1800
Left rear number of cooking zones	1	Right front number of cooking zones	1
Left rear diameter mm	140	Right front diameter mm	180

RIGHT REAR ZONE

Right rear zone	ceramic
Right rear watts	1200
Right rear number of cooking zones	1
Right rear diameter mm	140

ELECTRICAL SPECIFICATIONS

RIGHT FRONT ZONE

Connected load KW	6.5
Type of connection	hardwired

SHIPPING

Shipping Volume (m3)	0.0648
Shipping Weight (Kg)	13
Pack Dimensions Height (mm)	108

STUFFING QUANTITIES

20ft	400
40ft	840
40ft HC	902



SHIPPING

Pack Dimension Width 1000 (mm)


Pack Dimension Depth 600 (mm)




WHC943BD

Dimensions

90cm electric cooktop WHC943BD



NOTE: The clearance must meet or exceed the minimum recommended for both the rangehood and cooktop. Refer to the rangehood installation manual.



Surface temperatures of base exceed 95°C, under bench access must be restricted by use of non-combustible barrier on installation

IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067 email: customercare@electrolux.com.au web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND telephone: 09 573 2230 fax: 09 573 2221 email: customercare@electrolux.co.nz web: www.electrolux.co.nz